

Retro-polish and 'In the field' Fiber Terminations

Developed for 'In-the-field' and 'Retro-Polishing' applications, **FTTx** Portable Fiber Optic Connector Polishers provides the performance required by installation professionals.

FTTx provides the perfect solution for the preparation of.

- Connectors
- MIL-SPEC
- Termini
- Contacts
- 12V Converter

The standard package for the unit incorporates all the items you need for a fully configured system:

- Portable Polisher
- 5 Resilient Polishing Platens
- One PC Holder (2 or 4 position)
- 12V Converter
- Battery Pack & Charger
- Carrying Case.



System and accessories are supplied 'ready to go' in a convenient carrying case – just add lapping films



ULTRATEC
MANUFACTURING, INC.

1025 E Chestnut Ave, Santa Ana, CA 92701
Toll Free (US) 1 877 542 0609
Tel: 1 714 542 0608 Fax: 1 714 542 0627
e-mail: info@ultratecusa.com

www.ultratecusa.com

Product Specifications

System Part #	9005.2 - Two Position Polisher 9005.4 – Four Position Polisher
Lap Diameter	2 inches (50mm)
Weight	2.27 kg (5 lbs)
Power Supply	12V converter
Timer	10 – 120 Seconds

System Accessories

4093.1	Resilient Surface platen (PC polish)
4094.1	Hard Surface Disc (flat polish)
4026.1	220V AC Adapter

Connector holders

4 POSITON Order Code	2 POSITION Order Code	
4303.5	4203.5	SMA (905)
4303.6	4203.6	SMA (906)
4304.1	4204.12	ST
4305.1	4204.82	SC
4305.8	4205.12	SC-APC
4311.1	4205.12	Ferrule Only (2.5mm)
4311.2	4211.22	Ferrule Only (1.25mm)
4311.8	4211.82	Angled Ferrule Only (2.5mm)
4311.9	4211.92	Angled Ferrule Only (1.25mm)
4311.XX	4211.XX	Contact Holder Assembly (specify contact O.D. & type)
4313.1	4213.12	MU
4313.8	4213.82	MU-APC
4314.1	4214.12	FC
4314.8	4214.82	FC-APC
4315.1	4215.12	LC
4315.8	4215.82	LC-APC

Lapping & Polishing Films

2200.2	MULTIMODE Polishing Kit
2200.3	SINGLEMODE Polishing Kit

represented in your area by:

ULTRA TEC
MANUFACTURING, INC.

1025 E. Chestnut Ave., Santa Ana, CA 92701
T: 1.714.542.0608
F: 1.714.542.0627
Toll Free (US): 1 877 542 0609

www.ultratecusa.com